Materials Science and Engineering, 45 (1980) 297
© Elsevier Sequoia S.A., Lausanne — Printed in the Netherlands

Author Index

Arieli, A., 61
Aust, K. T., 71

Baram, J., 255
Benoit, D., 1
Billaud, D., 55
Boratto, F. J. M., 290
Burman, N. M., 95

Cantor, B., 83
Cheese, R., 83
Choi, H. J., 281
Chu, S. N. G., 167
Clayton, C. R., 263
Conrad, H., 109

Dalgleish, B. J., 9

Eklund, P. C., 77
Ermi, A. M., 137

Fakhr, A., 9
Ferguson, W. G., 183
Foulds, J. R., 137
Fujita, H., 221

Gibeling, J. C., 123
Gillespie, J. W., Jr., 247
Gobin, P. F., 217
Grill, A., 189
Guenin, G., 217
Gutmanas, E. Y., 269

Hanham, C. M., 71
Hashimoto, K., 221
Herman, H., 263
Hérold, A., 55
Herold, U., 285
Hirvonen, J. K., 263
Hopper, R. W., 21
Hu, W. W., 263

Itzhak, D., 189

Kagawa, M., 109
Kestenbach, H.-J., 143
Kobayashi, S., 173
Kornblit, L., 189
Köster, U., 285

Lai, M. O., 183
Lederich, R. J., 49
Li, J. C. M., 167
Lin, F.-S., 153
Livet, F., 217

Mackley, M. R., 117
Mahoney, M. W., 43
Mai, C., 217
McLellan, R. B., 289
Meshii, M., 173
Meyers, M. A., 143
Morin, M., 217
Moteff, J., 137
Mukherjee, A. K., 61
Murthy, V. R. K., 77

Namdar-Irani, R., 1
Nix, W. D., 123
Nowotny, H., 229

Oikawa, H., 211
Okazaki, K., 109

Pao, P. S., 49
Parker, A. R., 117
Paton, N. E., 43
Pavan, A., 201
Pipes, R. B., 247
Pratt, P. L., 9
Purushothaman, S., 43

Rabinkin, A., 269
Rawlings, R. D., 9
Ray, R., 195
Reed-Hill, R. E., 290
Riccò, T., 201
Rice, S. L., 229
Rink, M., 201
Roitberg, M., 269
Rosen, M., 255

Sastry, C. N., 277
Sastry, S. M. L., 49
Schwartz, L. H., 281
Sharon, A., 189
Smith, D. S., 77
Soares, C. A. O., 143
Starke, E. A., Jr., 153

Tabata, T., 221
Tanner, L. E., 195
Thomson, P. F., 95
Tien, J. K., 43
Tixier, R., 1

Vogel, F. L., 55

Walter, J. L., 287
Waseda, Y., 71
Wayne, S. F., 229
Wetherhold, R. C., 247
White, J. R., 35
Wood, W. E., 277

Yeow, Y. T., 237

Materials Science and Engineering, 45 (1980) 298 - 301
© Elsevier Sequoia S.A., Lausanne — Printed in the Netherlands

Subject Index

Acoustic emission
  the fracture toughness testing of ceramics and, 9
  generated during the plastic deformation of Al, effect of grain size on, 255
Acrylonitrile
  the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Aging
  dynamic, a back-stress-based rationale for creep behaviour during, 43
Alloys
  Al–6Zn–2Mg–xCu, the effect of Cu content and deformation mode on the fatigue crack propagation of at low stress intensities, 153
  amorphous, chemical ordering in, comments on, 285, 287
  amorphous Fe–B and Ni–B, initial stages of crystallization in, 221
  amorphous Fe-base, corrosion behaviour of, 71
  β-Cu–Zn–Al, observations of dislocations in before and after thermoelastic martensitic transformation by X-ray topography, 217
  hot-rolled Al–Mg, edge-cracking in, 95
  Ti–6Al–6V–2Sn, the effect of internal hydrogen on the stress corrosion cracking of in 3.5% NaCl solution, 49
  ultrahigh strength metallic glass, 195
Aluminium
  edge-cracking in hot-rolled Al–Mg alloys, 95
  the effect of Cu content and deformation mode on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at low stress intensities, 153
  effect of grain size on the acoustic emission generated during the plastic deformation of Al, 255
  the effect of internal hydrogen on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49
  observation of dislocations in a β-Cu–Zn–Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217
Antimony
  synthesis of graphite–$SbCl_5$ and optical tests of its environmental stability, 77
Arrhenius behaviour
  deviation from for the diffusion of interstitial atoms in the group V metals, 289, 290
Auger electron spectroscopy
  microbeam, characterization of the fracture path of intercritically overtempered Fe–9Ni–0.1C steel by, 281
Austenite
  retained, the presence of at the prior austenite grain boundaries of AISI 4340 steel, 277
Back stress
  rationale based on, for creep behaviour during dynamic aging, 43
Bone
  the mechanical response of a polypropylene fibre–cement composite and its analogy with, 117
Boron
  initial stages of crystallization in amorphous Fe–B and Ni–B alloys, 221
Butadiene
  the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Carbon
  characterization of the fracture path of intercritically overtempered Fe–9Ni–0.1C steel by microbeam Auger electron spectroscopy, 281
Cavitation erosion
  of ion-implanted 1018 steel, 263
Cement
  and polypropylene fibre, composite of, the mechanical response of and its analogy with bone, 117
Ceramics
  the fracture toughness testing of, and acoustic emission, 9
Chlorides
  synthesis of graphite–$SbCl_5$ and optical tests of its environmental stability, 77
Composites
  fibrous, macroscopic fracture of, 247
  metal-bonded diamond, cold sintering of, 269
  polypropylene fibre–cement, the mechanical response of and their analogy with bone, 117
  two *in situ*, application of material transport methodology to the impact wear of, 229
  unidirectional advanced, creep rupture behaviour of, 237
Composition
  of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the, 201
Copper
  the effect of Cu content and deformation mode on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at low stress intensities, 153
  observation of dislocations in a β-Cu–Zn–Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217
Corrosion
  of amorphous Fe-base alloys, 71

Crack growth
oxidation of fatigue fracture surfaces at low rates of, 1
Cracking
edge, in hot-rolled Al–Mg alloys, 95
stress corrosion, of Ti–6Al–6V–2Sn in 3.5% NaCl solution, the effect of internal hydrogen on, 49
Cracks
fatigue, propagation of in Al–6Zn–2Mg–xCu alloys at low stress intensities, the effect of Cu content and deformation mode on, 153
Creep
during dynamic aging, a back-stress-based rationale for, 43
Creep rupture
of unidirectional advanced composites, 237
Crystallization
in amorphous Fe–B and Ni–B alloys, initial stages of, 221

Deformation
elevated temperature, the description of in terms of threshold stresses and back stresses: a review, 123
mode of, and Cu content, the effect of on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at low stress intensities, 153
plastic, of Al, effect of grain size on the acoustic emission generated during, 255
Deformation mechanism diagrams
with the strain rate as a coordinate, 211
Diamond
metal-bonded composites of, the cold sintering of, 269
Diffusion
of interstitial atoms in the group V metals, deviation from Arrhenius behaviour for the, 289, 290
Dislocations
in a β-Cu–Zn–Al alloy before and after thermoelastic martensitic transformation, observation of by X-ray topography, 217
Ductile failure
via a homogeneous strain field, 21

Electrical conductivity
of hot-pressed magnesia, 189
Electroplastic effect
in Ti, an evaluation of the contributions of skin, pinch and heating effects to, 109
Erosion
cavitation, of ion-implanted 1018 steel, 263
Eutectic
splat-quenched Pb–Sn, superplasticity in, 83

Failure
ductile, via a homogeneous strain field, 21
Fatigue cracks
propagation of in Al–6Zn–2Mg–xCu alloys at low stress intensities, the effect of Cu content and deformation mode on, 153
Fatigue fracture
oxidation of surfaces of at low crack growth rates, 1
Fracture
macroscopic, of fibrous composites, 247
Fracture path
of intercritically overtempered Fe–9Ni–0.1C steel, characterization of by microbeam Auger electron spectroscopy, 281
Fracture surfaces
fatigue, oxidation of at low crack growth rates, 1
Fracture toughness
of ceramics, testing of and acoustic emission, 9
and the shear lip size, relationship between, 183

Grain boundaries
prior austenite, of AISI 4340 steel, the presence of retained austenite at, 277
Grain size
effect of on the acoustic emission generated during the plastic deformation of Al, 255
Graphite
synthesis of graphite–$SbCl_3$ and optical tests of its environmental stability, 77
the synthesis and resistivity of the ternary graphite–K–Na compounds, 55
Group V metals
deviation from Arrhenius behaviour for the diffusion of interstitial atoms in the, 289, 290

Hydrogen
internal, the effect of on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49

Impact behaviour
of blends of polyvinylchoride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Impact wear
of two *in situ* composites, application of material transport methodology to, 229
Impression testing
localized stress relaxation by, 167
Ion implantation
cavitation erosion of ion-implanted 1018 steel, 263
Iron
characterization of the fracture path of intercritically overtempered Fe–9Ni–0.1C steel by microbeam Auger electron spectroscopy, 281
corrosion behaviour of amorphous Fe-base alloys, 71
experimental characterization of surface film softening in Fe: effects of prestraining, temperature and orientation, 173
initial stages of crystallization in amorphous Fe–B and Ni–B alloys, 221

Lead
superplasticity in splat-quenched Pb–Sn eutectic, 83

Macroscopic fracture
of fibrous composites, 247
Magnesium
edge-cracking in hot-rolled Al–Mg alloys, 95
the effect of Cu content and deformation mode on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at low stress intensities, 153
electrical conductivity of hot-pressed magnesia, 189
Martensitic transformation
thermoelastic, observation by X-ray topography of dislocations in a β-Cu–Zn–Al alloy before and after, 217
Material transport methodology
application of to the impact wear of two *in situ* composites, 229
Mechanical response
of a polypropylene fibre–cement composite and its analogy with bone, 117
Metallic glasses
utrahigh strength, 195
Model
modified site, analysis of stress relaxation in polymers by a, 35
for the rate-controlling mechanism in superplasticity, 61

Nickel
characterization of the fracture path of intercritically overtempered Fe–9Ni–0.1C steel by microbeam Auger electron spectroscopy, 281
the effects of temperature and pulse duration on the shock-loading response of Ni, 143
initial stages of crystallization in amorphous Fe–B and Ni–B alloys, 221

Optical tests
of environmental stability of graphite–$SbCl_5$, synthesis and, 77
Ordering
chemical, in some amorphous alloys, comments on, 285, 287
Orientation
and prestraining and temperature, effects of in the experimental characterization of surface film softening in Fe, 173
Oxidation
of fatigue fracture surfaces at low crack growth rates, 1

Pinch effect
and skin and heating effects, an evaluation of the contributions of to the electroplastic effect in Ti, 109
Polymers
blends of, high performance: the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
stress relaxation in, a modified site model analysis, 35
Polypropylene fibre
and cement, composite of, the mechanical response of and its analogy with bone, 117
Polyvinylchloride
the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Potassium
the synthesis and resistivity of the ternary graphite–K–Na compounds, 55
Prestraining
and temperature and orientation, effects of in the experimental characterization of surface film softening in Fe, 173
Pulse duration
and temperature, the effects of on the shock-loading response of Ni, 143

Rate-controlling mechanism
in superplasticity, a model for, 61
Resistivity
synthesis and, of the ternary graphite–K–Na compounds, 55

Shear lips
size of and the fracture toughness, relationship between, 183
Shock loading
response of Ni to, the effects of temperature and pulse duration on, 143
Sintering
cold, of metal-bonded diamond composites, 269
Skin effect
and pinch and heating effects, an evaluation of the contributions of to the electroplastic effect in Ti, 109
Sodium
the effect of internal hydrogen on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49
the synthesis and resistivity of the ternary graphite–K–Na compounds, 55
Softening
surface film, in Fe, experimental characterization of and effects of prestraining, temperature and orientation, 173
Splat quenching
superplasticity in Pb–Sn eutectic prepared by, 83
Stability
environmental, optical tests of, and synthesis of graphite–$SbCl_5$, 77
Steel
AISI 4340, on the presence of retained austenite at the prior austenite grain boundaries of, 277
AISI 304 stainless, substructural development in the hot tensile testing of, 137
intercritically overtempered Fe–9Ni–0.1C, characterization of the fracture path of by microbeam Auger electron spectroscopy, 281
ion-implanted 1018, cavitation erosion of, 263

Strain field
homogeneous, ductile failure via a, 21
Strain rate
as a coordinate in deformation mechanism diagrams, 211
Stress corrosion cracking
of Ti–6Al–6V–2Sn in 3.5% NaCl solution, the effect of internal hydrogen on, 49
Stresses
low, the effect of Cu content and deformation mode on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at, 153
threshold and back, the description of elevated temperature deformation in terms of: a review, 123
Stress relaxation
localized, by impression testing, 167
in polymers: a modified site model analysis, 35
Styrene
the impact behaviour of blends of polyvinylchloride and acrylonitrile–butadiene–styrene terpolymers as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Superplasticity
a model for the rate-controlling mechanism in, 61
in splat-quenched Pb–Sn eutectic, 83
Surfaces
fatigue fracture, oxidation of at low crack growth rates, 1
Synthesis
of graphite–$SbCl_5$ and optical tests of its environmental stability, 77
and resistivity of the ternary graphite–K–Na compounds, 55

Temperature
and prestraining and orientation, effects of in the experimental characterization of surface film softening in Fe, 173
and pulse duration, the effects of on the shock-loading response of Ni, 143
Tensile testing
hot, of type AISI 304 stainless steel, substructural development in, 137
Terpolymers
acrylonitrile–butadiene–styrene, the impact behaviour of blends of polyvinylchoride and as a function of the composition of the (styrene–acrylonitrile) copolymer–butadiene rubber–polyvinylchloride system, 201
Thermoelastic transformation
martensitic, observation by X-ray topography of dislocations in a β-Cu–Zn–Al alloy before and after, 217
Tin
the effect of internal hydrogen on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49
superplasticity in splat-quenched Pb–Sn eutectic, 83
Titanium
the effect of internal hydrogen on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49
an evaluation of the contributions of skin, pinch and heating effects to the electroplastic effect in Ti, 109
Toughness
fracture, and shear lip size, relationship between, 183
Transformation
thermoelastic martensitic, observation by X-ray topography of dislocations in a β-Cu–Zn–Al alloy before and after, 217

Vanadium
the effect of internal hydrogen on the stress corrosion cracking of Ti–6Al–6V–2Sn in 3.5% NaCl solution, 49

Wear
impact, of two *in situ* composites, application of material transport methodology to, 229

X-ray topography
observation of dislocations in a β-Cu–Zn–Al alloy before and after thermoelastic martensitic transformation by, 217

Zinc
the effect of Cu content and deformation mode on the fatigue crack propagation of Al–6Zn–2Mg–xCu alloys at low stress intensities, 153
observation of dislocations in a β-Cu–Zn–Al alloy before and after thermoelastic martensitic transformation by X-ray topography, 217